Naval Research Laboratory

Washington, DC 20375-5000



NRL Memorandum Report 6541

Frequency Shifts Induced in Laser Pulses by Plasma Density Variations

E. ESAREY, A. TING AND P. SPRANGLE

Beam Physics Branch
Plasma Physics Division

October 25, 1989



AD-A214 195

SECURIT	Y CLASS	SIFICATION	OF TH	S PAGE

SECURITY CLASSIFICATION OF THIS PAGE								
REPORT 1	N PAGE			Form Approved OMB No. 0704-0188				
1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED	16. RESTRICTIVE MARKINGS							
2a. SECURITY CLASSIFICATION AUTHORITY	3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited.							
2b. DECLASSIFICATION / DOWNGRADING SCHEDU								
4. PERFORMING ORGANIZATION REPORT NUMBE	5. MONITORING ORGANIZATION REPORT NUMBER(\$)							
NRL Memorandum Report 6541								
6a. NAME OF PERFORMING ORGANIZATION	7a. NAME OF MONITORING ORGANIZATION							
Naval Research Laboratory	(If applicable) Code 4790							
6c. ADDRESS (City, State, and ZIP Code)	7b. ADDRESS (City, State, and ZIP Code)							
Washington, DC 20375~5000								
8a. NAME OF FUNDING / SPONSORING ORGANIZATION	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER							
DOE								
8c. ADDRESS (City, State, and ZIP Code) Washington, DC 20545		10. SOURCE OF I	E OF FUNDING NUMBERS PROJECT TASK		WORK UNIT			
washington, bo 20049		ELEMENT NO.	ELEMENT NO. NODOE#AID5 NO. 83ER40117		ACCESSION NO.			
11. TITLE (Include Security Classification)								
Frequency Shifts Induced in Laser Pulses by Plasma Density Variations								
12. PERSONAL AUTHOR(S)								
Esarey, E., Ting, A. and Sprangle, P. 13a TYPE OF REPORT 13b TIME COVERED 14. DATE OF REPORT (Year, Month, Day) 15 PAGE COUNT								
Interim FROM 1989 October 25 20								
16. SUPPLEMENTARY NOTATION								
17. COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)								
FIELD GROUP SUB-GROUP Laser-plasma interactions Plasma variations, Frequency shifts								
19 ABSTRACT (Continue on reverse if necessary	<u> </u>	/			· · · · · · · · · · · · · · · · · · ·			
1	• •		an a radiat	ion nu	de becomes			
l	An analytical theory is developed which describes how a radiation pulse becomes							
modified as it propagates through a plasma with arbitrary temporal and spatial density								
variations. Expressions are derived for the shifts induced in both the frequency and the								
wavenumber of the radiation pulse. It is shown that temporal variations in the plasma								
density result in frequency shifts of the radiation. The possibility of upshifting the fre-								
quency of the laser pulse using plasma waves is analyzed, and it is found that maximum								
shifts occur when the phase velocity of the plasma wave is equal to the group velocity of								
the laser pulse.								
20 DISTRIBUTION/AVAILABILITY OF ABSTRACT	21. ABSTRACT SECURITY CLASSIFICATION							
DUNCLASSIFIED/UNLIMITED ☐ SAME AS 223 NAME OF RESPONSIBLE INDIVIDUAL	22a NAME OF RESPONSIBLE INDIVIDUAL			UNCLASSIFIED 22b TELEPHONE (Include Area Code) 22c OFFICE SYMBOL				
E. Esarey (202) 404-7720 Code 4790 DD Form 1473, JUN 86 Previous editions are obsolete. SECURITY CLASSIFICATION OF THIS PAGE								
DD Form 1473, JUN 86	Previous editions are	oosolete.	SECURITY (LEAD SIFIC	ALION OF THIS PAGE			

FREQUENCY SHIFTS INDUCED IN LASER PULSES BY PLASMA DENSITY VARIATIONS

The propagation of electromagnetic radiation through plasmas is a problem of general interest with a wide variety of applications ranging from communications¹ to laser driven particle accelerators.^{2,3} For example, the results of plasma simulation studies have recently been reported^{4,5} which suggest two possible methods by which the frequency of an electromagnetic wave may be upshifted. In the first method, the plasma density through which the EM wave is propagating is suddenly increased in time,⁴ while the second method utilizes the interaction of a plasma wave (having a phase velocity near the speed of light)^{2,3,6,7} with a short EM pulse.⁵ Phenomena such as these, which result from variations in the plasma density, may offer a way of tuning the radiation from a laser or, alternatively, they may describe the distortion of radio signals in the ionosphere.

In the following, a general analytic theory is developed from first principles which describes how a EM radiation pulse is affected by variations in the plasma density. Specifically, the 1D wave equation is used to derive expressions for the shifts induced in the frequency and in the wavenumber by arbitrary plasma density variations (both in space and in time). In particular, for variations in the plasma density as a function of time, it is shown that the wavenumber of the EM wave remains constant while shifts are induced in the frequency. (This is to be contrasted to the case of spatial plasma density variations, for which the frequency remains constant and the wavenumber shifts.) For the case of a short radiation pulse interacting with a plasma wave with finite phase velocity, it is shown that shifts are induced in both the wavenumber and in the frequency. Maximum frequency shifts may be obtained when the phase velocity of the plasma wave is equal to the group velocity of the radiation pulse evaluated at the ambient plasma density. Furthermore, it is shown that for small frequency shifts, the amplitude of the vector potential maintains its initial profile while propagating forward at the ambient group velocity.

The 1D wave equation for the normalized vector potential $a = eA/(mc^2)$ of the radiation field is given by

$$\left(\frac{\partial^2}{\partial z^2} - \frac{1}{c^2} \frac{\partial^2}{\partial t^2}\right) a(z,t) = k_p^2(z,t) a(z,t), \tag{1}$$

where $k_p^2 \equiv k_{p0}^2 n(z,t)/(\gamma(z,t)n_0)$. Here $\gamma(z,t)$ is the relativistic factor associated with the motion of the plasma electrons, n(z,t) is the plasma electron density and $k_{p0}^2 = \omega_{p0}^2/c^2$, where ω_{p0} is the electron plasma frequency in the ambient density n_0 . In deriving the above equation, conservation of canonical momentum was used, $p_{\perp} = \epsilon A_{\perp}/c$, which gives a transverse plasma current (in the fluid limit) of $J_{\perp} \equiv -enp_{\perp}/(m\gamma)$. Throughout the

following it will be assumed that $a^2 << 1$ such that $k_p^2(z,t)$ is independent of a(z,t), i.e., the effects of the radiation field on the plasma wave will be ignored.

To solve the above wave equation, it is helpful to write $a(z,t) = b(z,t) \exp(ik_0z - i\omega_0t)$, where b(z,t) is the radiation envelope and where ω_0 and k_0 are the frequency and wavenumber of the radiation in the ambient plasma (in the absence of a plasma wave) which satisfy the dispersion relation $\omega_0^2 = c^2k_0^2 + c^2k_{p0}^2$. Furthermore, it is convenient to introduce a change of variables $\zeta = z - v_g t$ and $\tau = t$, where $v_g = c^2k_0/\omega_0$ is the group velocity of the radiation in the ambient plasma. The wave equation is then given by

$$\left(2i\frac{\omega_0}{c^2}\frac{\partial}{\partial \tau} + 2\frac{v_g}{c^2}\frac{\partial^2}{\partial \zeta \partial \tau} + \frac{1}{\gamma_g^2}\frac{\partial^2}{\partial \zeta^2} - \frac{1}{c^2}\frac{\partial^2}{\partial \tau^2}\right)b = \delta k_p^2(\zeta, \tau)b(\zeta, \tau), \tag{2}$$

where $\delta k_p^2 \equiv k_p^2 - k_{p0}^2$ and $1/\gamma_g^2 = 1 - v_g^2/c^2$.

It will now be assumed that the radiation envelope $b(\zeta,\tau)$ is slowly varying compared to the radiation frequency ω_0 , that is $|\partial b/\partial \tau| << |\omega_0 b|$ and $|\partial b/\partial \zeta| << |\omega_0 b/c|$. Assuming this, the second order derivatives in Eq. (2) may be neglected. Equation (2) may then be solved giving

$$b(\zeta,\tau) = b_0(\zeta) \exp\left[-\frac{ic^2}{2\omega_0} \int_0^\tau d\tau' \delta k_p^2(\zeta,\tau')\right]. \tag{3}$$

The condition $|\partial b/\partial \tau| << |\omega_0 b|$ implies $|c^2 \delta k_p^2/(2\omega_0^2)| << 1$. For a plasma density perturbation δn , this condition implies $|\omega_{p0}^2 \delta n/(2\omega_0^2 n_0)| << 1$. The condition $|\partial b/\partial \zeta| << |\omega_0 b/c|$ implies $|\int_0^\tau d\tau' (\partial \delta k_p^2/\partial \zeta) c^3/(2\omega_0^2)| << 1$ as well as $|(db_0/d\zeta)c/(b_0\omega_0)| << 1$. The first of these inequalities generally implies that the wavenumber shift must be small compared to ω_0/c , while the second inequality indicates that the initial envelope $b_0(\zeta)$ must be slowly varying compared to ω_0/c .

The total phase $\Phi(\zeta,\tau)$ of the radiation field may be identified by writing $a(\zeta,\tau) = |a(\zeta,\tau)| \exp i\Phi(\zeta,\tau)$. It is then possible to examine the evolution of the frequency as well as the wavenumber of the radiation through the definitions $\omega(\zeta,\tau) \equiv -\partial\Phi/\partial t = -(\partial/\partial\tau - v_g\partial/\partial\zeta)\Phi$ and $k(\zeta,\tau) \equiv \partial\Phi/\partial z = \partial\Phi/\partial\zeta$. Using the above solution for $b(\zeta,\tau)$ gives

$$\omega(\zeta,\tau) = \omega_0 + \frac{c^2}{2\omega_0} \delta k_p^2(\zeta,\tau) - \frac{v_g c^2}{2\omega_0} \int_0^\tau d\tau' \frac{\partial}{\partial \zeta} \delta k_p^2(\zeta,\tau'), \tag{4}$$

$$k(\zeta,\tau) = k_0 - \frac{c^2}{2\omega_0} \int_0^{\tau} d\tau' \frac{\partial}{\partial \zeta} \delta k_p^2(\zeta,\tau'). \tag{5}$$

The above equations are valid for arbitrary variations $\delta k_p^2(\zeta,\tau)$. (Recall, $k_p^2 = k_{p0}^2 n/(n_0 \gamma)$ and the effects of γ become important for nonlinear relativistic plasma waves.⁷) Provided

 $b(\zeta,\tau)$ remains slowly varying compared to ω_0 , the amplitude of the normalized vector potential |a| does not change. That is, Eq. (3) indicates that $|a| = |b_0(\zeta)|$ and, hence, the initial envelope of the vector potential is simply convected forward at the group velocity v_g .

To illustrate the above theory, consider a plasma density variation which is a function only of space. For example, consider a radiation pulse entering a plasma $(\omega_p^2/\omega_0^2 << 1)$ from vacuum with a plasma density profile $\delta k_p^2 = \delta k_p^2(z)$ for z>0 and equal to zero for z<0. Assume that at t=0, the radiation pulse extends from -L< z<0, where $\omega_0 L/c>>1$. Equations (3)-(5) indicate, that as the pulse propagates, the frequency and wavenumber evolve according to $\omega(z,t)=\omega_0$ and $k(z,t)=k_0-c^2\delta k_p^2(z)/(2v_g\omega_0)$. This is in agreement with the well-known result¹ that as radiation propagates into a plasma with spatial density variations, the frequency remains constant whereas the wavenumber changes such that the dispersion relation $\omega^2=c^2(k^2+k_p^2)$ remains satisfied.

On the other hand, consider a plasma density variation which is a function only of time. For example, consider a radiation pulse (of length $L >> c/\omega_0$) propagating through a long, uniform plasma column (where $\omega_p^2/\omega_0^2 << 1$) in which the density is temporally changing, $\delta k_p^2 = \delta k_p^2(t)$. Equations (3)-(5) indicate, that as the pulse propagates, the frequency and wavenumber evolve according to $\omega(z,t) = \omega_0 + c^2 \delta k_p^2(z)/(2\omega_0)$ and $k(z,t) = k_0$. This is in agreement with the simulations of Ref. 4 which indicate that as radiation propagates through a plasma with temporal density variations, the wavenumber remains constant whereas the frequency changes such that the dispersion relation $\omega^2 = c^2(k^2 + k_p^2)$ remains satisfied.

Consider a plasma density variation which is a function both of time and of space. For example, consider the case in which a plasma wave (with phase velocity near c)^{2,3,6,7} is used to upshift the frequency of a laser pulse, as suggested by the simulations of Ref. 5. Assuming a plasma wave with a phase velocity v_p such that the plasma wave quantities are functions of only $z - v_p t$ implies $\delta k_p^2(\zeta, \tau) = \delta k_p^2(\zeta - \Delta v \tau)$, where $\delta k_p^2(\zeta - \Delta v \tau)$ has the form of a periodic oscillation and $\Delta v = v_p - v_g$. Defining the shift in frequency and in wavenumber as $\Delta \omega = \omega(\zeta, \tau) - \omega(\zeta, 0)$ and $\Delta k = k(\zeta, \tau) - k(\zeta, 0)$ gives

$$\Delta\omega = \frac{c^2 v_p}{2\omega_0 \Delta v} \left[\delta k_p^2 \left(\zeta - \Delta v \tau \right) - \delta k_p^2 (\zeta) \right], \tag{6}$$

$$\Delta k = \frac{c^2}{2\omega_0 \Delta v} \left[\delta k_p^2 \left(\zeta - \Delta v \tau \right) - \delta k_p^2 (\zeta) \right]. \tag{7}$$

The above equations indicate that the frequency shift will be maximum for the case

Codes
//vell end/or
Dist Special

 $v_p = v_g$. For this case $\Delta \omega = -(v_g \tau c^2/2\omega_0) d\delta k_p^2/d\zeta$ and $\Delta k = -(c^2\tau/2\omega_0) d\delta k_p^2/d\zeta$. Hence, $\Delta \omega$ is a linear function of $v_g \tau$, the distance that the pulse has propagated through the plasma. In such a way $|\Delta \omega|$ will increase until it becomes sufficiently large so that the approximation that $b(\zeta,\tau)$ is slowly varying is no longer valid. For $b(\zeta,\tau)$ to be slowly varying requires $|c\Delta \omega/(v_g \omega_0)|^2 << 1$. Consider a plasma wave with $v_p = v_g$ such that $\delta k_p^2(\zeta) = k_{p0}^2 \delta n(\zeta)/n_0$, where $\delta n(\zeta)$ is the plasma wave density perturbation. For $\delta n(\zeta) = \delta n_0 \sin k_{p0} \zeta$, then

$$\frac{\Delta\omega}{\omega_0} = -\pi \frac{\omega_{p0}^2}{\omega_0^2} \frac{\delta n_0}{n_0} \frac{v_g \tau}{\lambda_{p0}} \cos k_{p0} \zeta. \tag{8}$$

Hence, a positive frequency shift $\Delta \omega > 0$ requires the laser pulse to be positioned properly in the phase of the plasma wave such that $d\delta n/d\zeta < 0$. This is illustrated in Fig. 1. A convenient method for producing such a plasma wave may be the laser wakefield accelerator,³ in which a driving laser pulse of frequency ω_0 is used to generate a plasma wave with $v_p = v_q$.

For the case $v_p \neq v_g$, $|\Delta \omega|$ is no longer a linearly increasing function of $c\tau$. In fact, Eq. (6) indicates that $\Delta \omega$ will oscillate as a function of $c\tau$. Consider a plasma wave of the form $\delta k_p^2(\zeta,\tau) = k_{p0}^2 |\delta n/n_0| \cos k_{p0}(\zeta - \Delta v\tau)$. Assuming the laser pulse (with a pulse length $L << \lambda_{p0} = 2\pi/k_{p0}$) is initially centered about $\zeta_0 = 0$, Eq. (6) indicates that the maximum frequency shift is given by $|\Delta \omega_m| = |\omega_{p0}^2 v_p \delta n_0/(\omega_0 n_0 \Delta v)|$ and occurs when $c\tau = |\lambda_{p0}/(2\Delta v)|$. Furthermore, notice that $\Delta \omega_m$ may either be positive or negative, depending on the sign of Δv (for the present example, $\Delta \omega_m > 0$ for $v_p < v_g$). Again, the assumption that $b(\zeta,\tau)$ is slowly varying implies $|c\Delta \omega_m/(2v_p\omega_0)|^2 << 1$.

Physically, the frequency shifts induced in a radiation pulse by a plasma wave may be understood as follows. A plasma wave gives rise to variations in the plasma parameter $k_p^2(\zeta,\tau)$. These variations lead to variations in the "local" phase velocity of the laser pulse. Heuristically, the "local" dispersion relation for the radiation field is given by $\omega^2(\zeta,\tau) = c^2k^2(\zeta,\tau) + c^2k_p^2(\zeta,\tau)$. For small $c\tau$, this gives $v_p^2(\zeta)/c^2 = 1 + k_{p0}^2n(\zeta)/(k_0^2n_0)$. For example, the local phase velocity near the front of the laser pulse $(\zeta = \zeta_0)$ will be less than the local phase velocity near the back of the pulse $(\zeta = \zeta_L)$ provided $n(\zeta_0) < n(\zeta_L)$. Hence, the individual phase peaks in the pulse $a(z,t) = |a| \exp(ikz - i\omega t)$ may move relative to one another (i.e., closer together for the present example). In such a way both the frequency and the wavenumber of the radiation pulse will change, as is given by Eqs. (4) and (5).

It should be pointed out that due to the local nature of the frequency shift (the dependence of $\Delta \omega$ on ζ), a laser pulse with a finite pulse length L will develop a spread

in frequency shifts. That is, the frequency shift at the front of the pulse may be different than the frequency shift at the back of the pulse. For example, consider a plasma wave with $v_p = v_g$ of the form $\delta k_p^2 = k_{p0}^2 (\delta n_0/n_0) \sin k_{p0} \zeta$ and a laser pulse centered about $\bar{\zeta} = \pi$ with $L < \lambda_{p0}/2$ (see Fig. 1). The difference in the frequency shift at the center of the pulse with a point $\Delta \zeta$ away is given by $|(\Delta \omega(\bar{\zeta}) - \Delta \omega(\bar{\zeta} + \Delta \zeta))/\Delta \omega(\bar{\zeta})| = 1 - \cos \Delta \zeta$. This spread in frequency shifts may be quite significant.

Equations (4) and (5) provide convenient analytic expressions for the frequency and wavenumber shifts resulting from variations in the plasma parameter k_p^2 . However, these expressions are only valid for a slowly varying envelope $b(\zeta,\tau)$, which implies that the frequency shifts must be small, $|\Delta\omega/\omega_0|^2 << 1$. To calculate the behavior of the vector potential for large shifts, $|\Delta\omega/\omega_0| \geq 1$, it is necessary to retain the $\partial^2/(\partial\zeta\partial\tau)$ derivative in the wave equation for $b(\zeta,\tau)$. Keeping this derivative, the wave equation can formally be solved for the case $\delta k_p^2(\zeta,\tau) = \delta k_p^2(\zeta)$, giving

$$b(\zeta,\tau) = \int_0^{\zeta} d\zeta' F(\zeta') \exp\left[i\omega_0(\zeta'-\zeta)/v_g\right] J_0\left[\alpha(\zeta',\zeta,\tau)\right],\tag{9}$$

$$\alpha(\zeta',\zeta,\tau) = \left(2c^2\tau \int_{\zeta}^{\zeta'} d\zeta'' \delta k_p^2(\zeta'')/v_g\right)^{1/2},$$

where J_0 is the Bessel function of order zero and $F(\zeta) = (\partial/\partial \zeta + i\omega_0/v_g)b_0(\zeta)$. In solving for $b(\zeta,\tau)$, it has been assumed $b(\zeta=0)=0$, i.e., $\zeta=0$ is chosen to be in front of the pulse. Analysis of the above equation indicates that now both the amplitude $|b(\zeta,\tau)|$ and the phase evolve as a function of τ . Determination of the precise behavior of $b(\zeta,\tau)$ requires further computation.

In the analysis of Ref. 5, heuristic arguments based on Lorentz transformations of the dispersion relation are used to determine an expression for $\partial \omega/\partial z$. The above analytic theory may be used to derive an equation for $\partial \omega/\partial z$ by operating on Eq. (4) with $\partial/\partial z = \partial/\partial \zeta$. For the case of a plasma wave with phase velocity v_p , Eq. (4) gives

$$\frac{\partial \omega}{\partial z} = \frac{c^2}{2\omega_0 \Delta v} \left[v_p \frac{\partial}{\partial z} \delta k_p^2 (z - v_p t) - v_g \frac{\partial}{\partial z} \delta k_p^2 (z - v_g t) \right], \tag{10}$$


which for $v_p = v_g$ reduces to the expression given in Ref. 5 when $\delta k_p^2 = k_{p0}^2 \delta n/n_0$. Hence, the expression given in Ref. 5 has been shown to be valid provided i) $v_p = v_g$, ii) v_p is independent of z and t, iii) relativistic effects associated with $\gamma(z,t)$ are neglected and iv) the frequency shift remains small, $|\Delta\omega/\omega_0|^2 << 1$. Whether or not the arguments of Ref. 5 are valid for large shifts $|\Delta\omega/\omega_0| \ge 1$ remains uncertain.

The analytic theory presented above describes how a laser pulse becomes modified due to variations in the background plasma. Specifically, arbitrary variations in the plasma parameter $k_p^2(\zeta,\tau)$ leads to shifts in both the frequency and wavenumbers indicated by Eqs. (4) and (5). Provided these shifts are sufficiently small, the amplitude of the vector potential remains unchanged and propagates forward at the group velocity v_a . The above theory indicates that changes in the plasma density as a function of time lead to shifts in the radiation frequency. In particular, the possibility of upshifting the frequency of the laser pulse using a plasma wave has been examined and it is found that maximum frequency shifts result when $v_p = v_g$. For this case, $\Delta \omega$ increases linearly with the propagation distance $v_g \tau$ and positive frequency shifts require phasing the laser pulse such that it is centered at a position of decreasing density or, more precisely, at a position where $d\delta k_p^2/d\zeta < 0$. The above theory is valid, in general, for small frequency shifts, $|\Delta\omega/\omega_0|^2 < 1$ 1. However, Eq. (8) implies that large shifts of order $|\Delta\omega|\sim\omega_0$ require propagation distances of order $c au \sim |\delta n_0/n_0|^{-1}\omega_0^2/\omega_{p0}^2$. Since, typically (for a KrF laser), $\omega_0^2/\omega_{p0}^2 >> 1$, this propagation distance can be quite large. The detailed examination of large shifts $|\Delta\omega|\sim\omega_0$ requires further evaluation of Eq. (9).

This work was supported by the Department of Energy and the Office of Naval Research.

References

- 1) K.G. Budden, The Propagation of Radio Waves, Cambridge University Press, Cambridge, 1985.
- 2) T. Tajima and J.M. Dawson, Phys. Rev. Lett. 43, 267 (1979).
- 3) P. Sprangle, E. Esarey, A. Ting and G. Joyce, Appl. Phys. Lett. 53, 2146 (1988); E. Esarey, A. Ting, P. Sprangle and G. Joyce, Comments Plasma Phys. Controlled Fusion 12, 191 (1989).
- 4) S.C. Wilks, J.M. Dawson and W.B. Mori, Phys. Rev. Lett. 61, 337 (1988).
- 5) S.C. Wilks, J.M. Dawson, W.B. Mori, T. Katsouleas and M.E. Jones, Phys. Rev. Lett. 62, 2600 (1989).
- 6) P. Chen, J.M. Dawson, R.W. Huff and T. Katsouleas, Phys. Rev. Lett. 54, 693 (1985).
- 7) J.B. Rosenzweig, Phys. Rev. Lett. 58, 555 (1987).



Positive frequency shifts require the laser pulse to be centered about regions of the wave FIG. 1. Schematic of the upshifting of a laser pulse by a plasma wave with $v_p = v_g$. with a decreasing density slope.

DISTRIBUTION LIST*

Naval Research Laboratory 4555 Overlook Avenue, S.W. Washington, DC 20375-5000

> Attn: Code 1000 - CAPT J. J. Donegan, Jr. 1001 - Dr. T. Coffey 1005 - Head, Office of Management & Admin. 1005.1-Deputy Head, Office of Management & Admin. 1005.6-Head, Directives Staff 0124 - ONR 2000 - Director of Technical Services 2604 - NRL Historian 3000 - Director of Business Operations 4603 - Dr. W. W. Zachary 4700 - Dr. S. Ossakov (26 copies) 4795 - Dr. C. A. Kapetanakos 4730 - Dr. R. Elton 4707 - Dr. W. M. Manheimer 4793 - Dr. S. Gold 4790 - Dr. P. Sprangle (20 copies) 4790 - Dr. C. M. Tang 4790 - Dr. M. Lampe 4790 - Dr. Y. Y. Lau 4790 - Dr. E. Esarey (20 copies) 4790 - Dr. J. Krall 4790 - Dr. A. Ting (20 copies) 4790A- B. Pitcher 6652 - Dr. N. Seeman 6840 - Dr. S. Y. Ahn 6840 - Dr. A. Ganguly 6840 - Dr. R. K. Parker 6850 - Dr. L. R. Whicker 6875 - Dr. R. Wagner 2628 - Documents (22 copies) 2634 - D. Wilbanks 1220 - 1 copy

^{*} Every name listed on distribution gets one copy except for those where extra copies are note:

Dr. R. E. Aamodt Lodestar Research Corp. 2400 Central Ave., P-5 Boulder, CO 80306-4545

Prof. I. Alexeff University of Tennessee Dept. of Electrical Engr. Knoxville, TN 37916

Dr. D. Bach Los Alamos National Laboratory P. O. Box 1663 Los Alamos, NM 87545

Dr. W. A. Barletta Lawrence Livermore National Lab. P. O. Box 808 Livermore, CA 94550

Dr. D. C. Barnes Science Applications Intl. Corp. Austin, TX 78746

Dr. L. R. Barnett 3053 Merrill Eng. Bldg. University of Utah Salt Lake City, UT 84112

Dr. S. H. Batha
Lab. for Laser Energetics &
Dept. of Mech. Eng.
Univ. of Rochester
Rochester, NY 14627

Dr. F. Bauer Courant Inst. of Math. Sciences New York University New York, NY 10012

Dr. Peter Baum General Research Corp. P. O. Box 6770 Santa Barbara, CA 93160

Prof. George Bekefi Rm. 36-213 M.I.T. Cambridge, MA 02139

Dr. Russ Berger FL-10 University of Washington Seattle, WA 98185 Dr. O. Betancourt Courant Inst. of Math. Sciences New York University New York, NY 10012

Dr. B. Bezzerides MS-E531 Los Alamos National Laboratory P. O. Box 1663 Los Alamos, NM 87545

Dr. Leroy N. Blumberg U.S. Dept. of Energy Division of High Energy Physics ER-224/Germantown Wash., DC 20545

Dr. Howard E. Brandt Department of the Army Harry Diamond Laboratory 2800 Powder Mill Road Adelphi, MD 20783

Dr. Bob Brooks FL-10 University of Washington Seattle, WA 98195

Prof. William Case Dept. of Physics Grinnell College Grinnell, Iowa 50221

Mr. Charles Cason Commander, U. S. Army Strategic Defense Command Attn: CSSD-H-D P. O. Box 1500 Huntsville, AL 34807-3801

Dr. Paul J. Channell AT-6, MS-H818 Los Alamos National Laboratory P. O. Box 1663 Los Alamos, NM 87545

Dr. A. W. Chao Stanford Linear Accelerator Center Stanford University Stanford, CA 94305 Dr. Francis F. Chen UCLA, 7731 Boelter Hall Electrical Engineering Dept. Los Angeles, CA 90024

Dr. K. Wendell Chen Center for Accel. Tech. University of Texas P.O. Box 19363 Arlington, TX 76019

Dr. Pisin Chen SLAC, Bin 26 P.O. Box 4349 Stanford, CA 94305

Dr. Marvin Chodorow Stanford University Dept. of Applied Physics Stanford, CA 94305

Major Bart Clare USASDC P. O. Box 15280 Arlington, VA 22215-0500

Dr. Christopher Clayton UCLA, 1538 Boelter Hall Electrical Engineering Dept. Los Angeles, CA 90024

Dr. Bruce I. Cohen Lawrence Livermore National Laboratory P. O. Box 808 Livermore, CA 94550

Dr. B. Cohn L-630 Lawrence Livermore National Laboratory P. O. Box 808 Livermore, CA 94550

Dr. Francis T. Cole Fermi National Accelerator Laboratory Physics Section P. O. Box 500 Batavia, IL 60510

Dr. Richard Cooper Los Alamos National Laboratory P. O. Box 1663 Los Alamos, NM 87545 Dr. Ernest D. Courant Brookhaven National Laboratory Upton, NY 11973

Dr. Paul L. Csonka Institute of Theoretical Sciences and Department of Physics University of Oregon Eugene, Oregon 97403

Dr. Chris Darrow UCLA 1-130 Knudsen Hall Los Angeles, CA 90024

Dr. J. M. Dawson Department of Physics University of California, Los Angeles Los Angeles, CA 90024

Dr. Adam Drobot Science Applications Intl. Corp. 1710 Goodridge Dr. Mail Stop G-8-1 McLean, VA 22102

Dr. D. F. DuBois, T-DOT Los Alamos National Laboratory Los Alamos, NM 87545

Dr. J. J. Ewing Spectra Technology 2755 Northup Way Bellevue, WA 98004

Dr. Frank S. Felber 11011 Torreyana Road San Diego, CA 92121

Dr. Richard C. Fernow Brookhaven National Laboratory Upton, NY 11973

Dr. H. Figueroa 1-130 Knudsen Hall U. C. L. A. Los Angeles, CA 90024

Dr. Jorge Fontana Elec. and Computer Eng. Dept. Univ. of Calif. at Santa Barbara Santa Barbara, CA 93106 Dr. David Forslund Los Alamos National Laboratory P. O. Box 1663 Los Alamos, NM 87545

Dr. P. Garabedian Courant Inst. of Math. Sciences New York University New York, NY 10012

Dr. Walter Gekelman UCLA - Dept. of Physics 1-130 Knudsen Hall Los Angeles, CA 90024

Dr. Dennis Gill Los Alamos National Laboratory P. O. Box 1663 Los Alamos, NM 87545

Dr. B. B. Godfrey, Chief Scientist WL/CA Kirtland AFB, NM 87117-6008

Dr. P. Goldston Los Alamos National Laboratory P. O. Box 1663 Los Alamos, NM 87545

Prof. Louis Hand Dept. of Physics Cornell University Ithaca, NY 14853

Dr. J. Hays TRW One Space Park Redondo Beach, CA 90278

Dr. Wendell Horton University of Texas Physics Dept., RLM 11.320 Austin, TX 78712

Dr. H. Huey Varian Associates B-118 611 Hansen Way Palo Alto, CA 95014

Prof. Stanley Humphries Univ. of New Mexico University Hill Albuquerque, NM 87131 Dr. Robert A. Jameson Los Alamos National Laboratory AT-Division, MS H811 P.O. Box 1663 Los Alamos, NM 87545

Dr. G. L. Johnston NW16-232 M. I. T. Cambridge, MA 02139

Dr. Shayne Johnston Physics Department Jackson State University Jackson, MS 39217

Dr. Mike Jones MS B259 Los Alamos National Laboratory P. O. Box 1663 Los Alamos, NM 87545

Dr. C. Joshi 7620 Boelter Hall Electrical Engineering Department University of California, Los Angeles Los Angeles, CA 90024

Dr. E. L. Kane Science Applications Intl. Corp. McLean, VA 22102

Dr. Tom Katsouleas UCLA, 1-130 Knudsen Hall Department of Physics Los Angeles, CA 90024

Dr. Rhon Keinigs MS-259 Los Alamos National Labortory P. O. Box 1663 Los Alamos, NM 87545

Dr. Kwang-Je Kim Lawrence Berkeley Laboratory University of California, Berkeley Berkeley, CA 94720

Dr. S. H. Kim Center for Accelerator Technology University of Texas P.O. Box 19363 Arlington, TX 76019 Dr. Joe Kindel Los Alamos National Laboratory P. O. Box 1663, MS E531 Los Alamos, NM 87545

Dr. Ed Knapp Los Alamos National Laboratory P. O. Box 1663 Los Alamos, NM 87545

Dr. Peter Kneisel Cornell University F. R. Newman Lab. of Nucl. Studies Ithaca, NY 14853

Dr. Norman M. Kroll University of California, San Diego San Diego, CA 92093

Dr. Michael Lavan
U. S. Army Strategic Defense Command
Attn: CSSD-H-D
P. O. Box 1500
Huntsville, AL 35807-3801

Dr. Kenneth Lee Los Alamos National Laboratory P.O. Box 1663, MS E531 Los Alamos, NM 87545

Dr. Baruch Levush
Dept. of Physics & Astronomy
University of Maryland
College Park, MD 20742

Dr. Chuan S. Liu
Dept. of Physics & Astronomy
University of Maryland
College Park, MD 20742

Dr. N. C. Luhmann, Jr. 7702 Boelter Hall U. C. L. A. Los Angeles, CA 90024

Dr. F. Mako FM Technologies Corp. 205 South Whiting St. Alexandria, VA 22304

Dr. Joseph Mangano Science Research Laboratory 1600 Wilson Blvd. Suite 1200 Arlington, VA 22209 Dr. Siva A. Mani Science Applications Intl. Corp. 1040 Waltham Street Lexington, MA 02173-8027

Dr. T. C. Marshall Applied Physics Department Columbia University New York, NY 10027

Dr. Clare Max
Institute of Geophysics
& Planetary Physics
Lawrence Livermore National Laboratory
P. O. Box 808
Livermore, CA 94550

Dr. B. D. McDaniel Cornell University Ithaca, NY 14853

Col. Thomas Meyer SDIO/DEO The Pentagon, Rm. 1E180 Washington, DC 20301-7100

Prof. Kim Molvig Plasma Fusion Center Room NW16-240 M.I.T. Cambridge, MA 02139

Dr. A. Mondelli Science Applications. Intl. Corp. 1710 Goodridge Drive McLean, VA 22101

Dr. Mel Month Brookhaven National Laboratories Associated Universities, Inc. Upton, L.I., NY 11973

Dr. Warren Mori 1-130 Knudsen Hall U. C. L. A. Los Angeles, CA 90024

Dr. P. L. Morton Stanford Linear Accelerator Center P. O. Box 4349 Stanford, CA 94305 Dr. Michael Mostrom Mission Research Corp. 1720 Randolph Rd., S. E. Albuquerque, NM 87106

Dr. John A. Nation Laboratory of Plasma Studies 369 Upson Hall Cornell University Ithaca, NY 14853

Dr. Kelvin Neil Lawrence Livermore National Lab. Code L-321, P.O. Box 808 Livermore, CA 94550

Dr. K. C. Ng Courant Inst. of Math. Sciences New York University New York, NY 10012

Dr. Robert J. Noble S.L.A.C., Bin 26 Stanford University P.O. Box 4349 Stanford, CA 94305

Dr. J. Norem Argonne National Laboratory Argonne, IL 60439

Dr. Craig L. Olson Sandia National Laboratories Plasma Theory Division 1241 P.O. Box 5800 Albuquerque, NM 87185

Dr. H. Oona MS-E554 Los Alamos National Laboratory P. O. Box 1663 Los Alamos, NM 87545

Dr. Robert B. Palmer Brookhaven National Laboratory Upton, NY 11973

Dr. Richard Pantell Stanford University 308 McCullough Bldg. Stanford, CA 94305 Dr. John Pasour Mission Research Corporation 8560 Cinderbed Rd. Suite 700 Newington, VA 22122

Dr. Claudio Pellegrini National Synchrotron Light Source Brookhaven National Laboratory Upton, NY 11973

Dr. Samual Penner Center for Radiation Research National Bureau of Standards Gaithersburg, MD 20899

Dr. Melvin A. Piestrup Adelphi Technology 13800 Skyline Blvd. No. 2 Woodside, CA 94062

Dr. Z. Pietrzyk FL-10 University of Washington Seattle, WA 98185

Dr. Hersch Pilloff Code 421 Office of Naval Research Arlington, VA 22217

Major E. W. Pogue SDIO The Pentagon, T-DE Rm. 1E180 Washington, DC 20301-7100

Dr. Anand Prakash Ballistic Research Laboratory Aberdeen Proving Ground, MD 21005

Dr. Don Prosnitz Lawrence Livermore National Laboratory P. O. Box 808 Livermore, CA 94550

Dr. R. Ratowsky Physics Department University of California at Berkeley Berkeley, CA 94720

Dr. M. Reiser University of Maryland Department of Physics College Park, MD 20742 Dr. C. W. Roberson Office of Naval Research Code 112S 800 N. Quincy Street Arlington, VA 22217

Dr. Stephen Rockwood Los Alamos National Laboratory P. O. Box 1663 Los Alamos, NM 87545

Dr. Harvey A. Rose, T-DOT Los Alamos National Laboratory Los Alamos, NM 87545

Dr. Marshall N. Rosenbluth Institute for Fusion Studies The Univ. of Texas at Austin Austin, TX 78712

Dr. James B. Rosenzweig Dept. of Physics University of Wisconsin Madison, WI 53706

Dr. N. Rostoker
Department of Physics
University of California at Irvine
Irvine, CA 92717

Dr. R. D. Ruth SLAC, Bin 26 P. O. Box 4349 Stanford, CA 94305

Dr. Jack Sandweiss Gibbs Physics Laboratory Yale University 260 Whitney Avenue P. O. Box 6666 New Haven, CT 06511

Dr. Al Saxman Los Alamos National Laboratory P.O. Box 1663, MS E523 Los Alamos, NM 87545

Prof. John Scharer Electrical & Computer Engineering Dept. University of Wisconsin Madison, WI 53706 Dr. George Schmidt Stevens Institute of Technology Department of Physics Hoboken, NJ 07030

Dr. Marlan O. Scully Dept. of Physics & Astronomy Univ. of New Mexico 800 Yale Blvd. NE Albuquerque, NM 87131

Dr. Frank Selph U. S. Department of Energy Division of High Energy Physics, ER-224 Washington, DC 20545

Prof. P. Serafim Northeastern University Boston, MA 02115

Dr. Andrew M. Sessler Lawrence Berkeley Laboratory University of California, Berkeley Berkeley, CA 94720

Dr. Richard L. Sheffield Los Alamos National Laboratory P.O. Box 1663, MS H825 Los Alamos, NM 87545

Dr. John Siambis Lockheed Palo Alto Research Laboratory 3251 Hanover Street Palo Alto, CA 94304

Dr. Robert Siemann Dept. of Physics Cornell University Ithaca, NY 14853

Dr. J. D. Simpson Argonne National Laboratory Argonne, IL 60439

Dr. Charles K. Sinclair Stanford University P. O. Box 4349 Stanford, CA 94305

Dr. Sidney Singer MS-E530 Los Alamos National Laboratory P. O. Box 1663 Los Alamos, NM 87545 Dr. R. Siusher AT&T Bell Laboratories Murray Hill, NJ 07974

Dr. Jack Slater Mathematical Sciences, NV 2755 Northup Way Bellevue, WA 98009

Dr. Todd Smith Hansen Laboratory Stanford University Stanford, CA 94305

Mr. J. J. Su UCLA 1-130 Knudsen Hall Los Angeles, CA 90024

Prof. Ravi Sudan Electrical Engineering Department Cornell University Ithaca, NY 14853

Dr. Don J. Sullivan Mission Research Corporation 1720 Randolph Road, SE Albuquerque, NM 87106

Dr. David F. Sutter U. S. Department of Energy Division of High Energy Physics, ER-224 Washington, DC 20545

Dr. T. Tajima
Department of Physics
and Institute for Fusion Studies
University of Texas
Austin, TX 78712

Dr. R. Temkin (2 copies)
Mass. Institute of Technology
Plasma Fusion Center
Cambridge, MA 02139

Dr. Lee Teng, Chairman Fermilab P.O. Box 500 Batavis, IL 60510

Dr. H. S. Uhm Naval Surface Warfare Center White Oak Laboratory Silver Spring, MD 20903-5000 U. S. Naval Academy (2 copies) Director of Research Annapolis, MD 21402

Dr. William A. Wallenmeyer U. S. Dept. of Energy High Energy Physics Div., ER-22 Washington, DC 20545

Dr. John E. Walsh Department of Physics Dartmouth College Hanover, NH 03755

Dr. Tom Wangler Los Alamos National Laboratory P. O. Box 1663 Los Alamos, NM 87545

Dr. S. Wilks Physics Dept. 1-130 Knudsen Hall UCLA Los Angles, CA 90024

Dr. Perry B. Wilson Stanford Linear Accelerator Center Stanford University P.O. Box 4349 Stanford, CA 94305

Dr. W. Woo Applied Science Department University of California at Davis Davis, CA 95616

Dr. J. Workman Berkeley Research Associates P.O. Box 241 Berkeley, CA 94701

Dr. Jonathan Wurtele M.I.T. NW 16-234 Plasma Fusion Center Cambridge, MA 02139

Dr. Yi-Ton Yan SSC Central Design Group c/o LBL 90-4040 University of California 1 Cyclotron Rd. Berkeley, CA 94720 Dr. M. Yates Los Alamos National Laboratory P. O. Box 1663 Los Alamos, NM 87545

Dr. Ken Yoshioka Laboratory for Plasma and Fusion University of Maryland College Park, MD 20742

Dr. R. W. Ziolkowski, L-156 Lawrence Livermore National Laboratory P. O. Box 808 Livermore, CA 94550

Do NOT make labels for these two-below: Records---(1 copy)

Naval Research Laboratory Washington, DC 20375-5000 Code 2630 Timothy Calderwood